RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	10	65	7, 8	69A	
Source:		TFWIL			
Date Processed by STIC:		09	19	2005	

ENTERED



IFW16

RAW SEQUENCE LISTINGPATENT APPLICATION: **US/10/659,869A**DATE: 09/19/2005

TIME: 10:34:15

Input Set : A:\BB1294 USCNT Corrected Seq List.txt

Output Set: N:\CRF4\09192005\J659869A.raw

```
3 <110> APPLICANT: Cahoon, Rebecca E.
 4
         Fang, Yiwen
         Odell, Joan
         Weng, Zude
 8 <120> TITLE OF INVENTION: Plant Myb Transcription Factor Homologs
10 <130> FILE REFERENCE: BB1294USCNT
12 <140> CURRENT APPLICATION NUMBER: US 10/659,869A
13 <141> CURRENT FILING DATE: 2003-09-11
15 <150> PRIOR APPLICATION NUMBER: US 10/021,811
16 <151> PRIOR FILING DATE: 2001-12-14
18 <150> PRIOR APPLICATION NUMBER: US 09/452,244
19 <151> PRIOR FILING DATE: 1999-12-01
21 <150> PRIOR APPLICATION NUMBER: US 60/110,609
22 <151> PRIOR FILING DATE: 1998-12-02
24 <160> NUMBER OF SEQ ID NOS: 63
26 <170> SOFTWARE: Microsoft Office 97
28 <210> SEO ID NO: 1
29 <211> LENGTH: 771
30 <212> TYPE: DNA
31 <213> ORGANISM: Zea mays
33 <220> FEATURE:
34 <221> NAME/KEY: unsure
35 <222> LOCATION: (4)
36 <223> OTHER INFORMATION: n is a, c, g or t
38 <220> FEATURE:
39 <221> NAME/KEY: unsure
40 <222> LOCATION: (99)
41 <223> OTHER INFORMATION: n is a, c, g or t
43 <220> FEATURE:
44 <221> NAME/KEY: unsure
45 <222> LOCATION: (396)
46 <223> OTHER INFORMATION: n is a, c, g or t
48 <220> FEATURE:
49 <221> NAME/KEY: unsure
50 <222> LOCATION: (470)
51 <223> OTHER INFORMATION: n is a, c, g or t
53 <220> FEATURE:
54 <221> NAME/KEY: unsure
55 <222> LOCATION: (486)
56 <223> OTHER INFORMATION: n is a, c, g or t
58 <220> FEATURE:
59 <221> NAME/KEY: unsure
```

60 <222> LOCATION: (586)

RAW SEQUENCE LISTING DATE: 09/19/2005 PATENT APPLICATION: US/10/659,869A TIME: 10:34:15

Input Set : A:\BB1294 USCNT Corrected Seq List.txt
Output Set: N:\CRF4\09192005\J659869A.raw

61 <223> OTHER INFORMATION: n is a, c, g or t 63 <220> FEATURE: 64 <221> NAME/KEY: unsure 65 <222> LOCATION: (600) 66 <223> OTHER INFORMATION: n is a, c, g or t 68 <220> FEATURE: 69 <221> NAME/KEY: unsure 70 <222> LOCATION: (612) 71 <223> OTHER INFORMATION: n is a, c, q or t 73 <220> FEATURE: 74 <221> NAME/KEY: unsure 75 <222> LOCATION: (615) 76 <223> OTHER INFORMATION: n is a, c, g or t 78 <220> FEATURE: 79 <221> NAME/KEY: unsure 80 <222> LOCATION: (627) 81 <223> OTHER INFORMATION: n is a, c, g or t 83 <220> FEATURE: 84 <221> NAME/KEY: unsure 85 <222> LOCATION: (632) 86 <223> OTHER INFORMATION: n is a, c, g or t 88 <220> FEATURE: 89 <221> NAME/KEY: unsure 90 <222> LOCATION: (658) 91 <223> OTHER INFORMATION: n is a, c, g or t 93 <220> FEATURE: 94 <221> NAME/KEY: unsure 95 <222> LOCATION: (690) 96 <223> OTHER INFORMATION: n is a, c, g or t 98 <220> FEATURE: 99 <221> NAME/KEY: unsure 100 <222> LOCATION: (716) 101 <223> OTHER INFORMATION: n is a, c, g or t 103 <220> FEATURE: 104 <221> NAME/KEY: unsure 105 <222> LOCATION: (724) 106 <223> OTHER INFORMATION: n is a, c, g or t 108 <220> FEATURE: 109 <221> NAME/KEY: unsure 110 <222> LOCATION: (736) 111 <223> OTHER INFORMATION: n is a, c, g or t 113 <220> FEATURE: 114 <221> NAME/KEY: unsure 115 <222> LOCATION: (752) 116 <223> OTHER INFORMATION: n is a, c, g or t 118 <220> FEATURE: 119 <221> NAME/KEY: unsure 120 <222> LOCATION: (758) 121 <223> OTHER INFORMATION: n is a, c, g or t

RAW SEQUENCE LISTINGPATENT APPLICATION: **US/10/659,869A**DATE: 09/19/2005 TIME: 10:34:15

Input Set : A:\BB1294 USCNT Corrected Seq List.txt

Output Set: N:\CRF4\09192005\J659869A.raw

```
123 <400> SEQUENCE: 1
W--> 124 caancgcggg attgttcaat ccgttcgaca tcacaaaatc cacgcacaaa gaagcgacag 60
     125 atgactacga gcagggtggc caggtcgtgc ggccgcggna gcgacgatga gccggcggtg 120
     126 cgcaaggggc cgtggacgct ggaggaggac ctcatcctcg tcagctacat ctcccagcac 180
     127 ggggaggget cetgggacaa cetegegege geagetggae tgaacegeaa eggcaagage 240
     128 tgcaggctgc ggtggctcaa ctacctgagg ccgggggtgc ggcgcggcag catcacggcg 300
     129 ggggaggaca cggtcatccg ggagctccac gcgaggtggg ggaacaagtg gtccaaqatc 360
     130 tecaageace teceeggeeg aacegacaac gagatnaaga actaetggag gaceaggate 420
     131 caacaagaag aacagcaagg agccaagacg acgcaacaac gggaccgtcn acgaccgcca 480
     132 actccngggc ccggggacga ctactgggtg cacaacccga ccccgacaac aagccatact 540
     133 gcctgcaaaa accccatgca actgcacgcg acaacaaccg gtctcntaac aacaagacan 600
     134 ccccttcggg gnctnacaac cagaaanccc cnccggcggg gaatggtaat cacaacanaa 660
     135 attgtaccct ctgtccaact aactttcccn cggcacataa acgtcggctq accttnacaa 720
     136 tcantcttct ccactnatgc actttgcaac gngtgtantt tgataaacct t
     138 <210> SEQ ID NO: 2
     139 <211> LENGTH: 157
     140 <212> TYPE: PRT
     141 <213> ORGANISM: Zea mays
     143 <220> FEATURE:
     144 <221> NAME/KEY: UNSURE
     145 <222> LOCATION: (111)
     146 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
     148 <220> FEATURE:
     149 <221> NAME/KEY: UNSURE
     150 <222> LOCATION: (136)
     151 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
     153 <400> SEQUENCE: 2
     154 Thr Thr Ser Arg Val Ala Arg Ser Cys Gly Arg Gly Ser Asp Asp Glu
     157 Pro Ala Val Arg Lys Gly Pro Trp Thr Leu Glu Glu Asp Leu Ile Leu
                      20
     160 Val Ser Tyr Ile Ser Gln His Gly Glu Gly Ser Trp Asp Asn Leu Ala
     161
                  35
     163 Arg Ala Ala Gly Leu Asn Arg Asn Gly Lys Ser Cys Arg Leu Arg Trp
              50
                                  55
     166 Leu Asn Tyr Leu Arg Pro Gly Val Arg Arg Gly Ser Ile Thr Ala Gly
                              70
                                                  75
     169 Glu Asp Thr Val Ile Arg Glu Leu His Ala Arg Trp Gly Asn Lys Trp
     170
                          85
                                               90
W--> 172 Ser Lys Ile Ser Lys His Leu Pro Gly Arg Thr Asp Asn Glu Xaa Lys
     173
                     100
                                         105
     175 Asn Tyr Trp Arg Thr Arg Ile Gln Gln Glu Glu Gln Gln Gly Ala Lys
                 115
                                     120
                                                          125
     178 Thr Thr Gln Gln Arg Asp Arg Xaa Arg Pro Pro Thr Pro Gly Pro Gly
                                 135
     181 Asp Asp Tyr Trp Val His Asn Pro Thr Pro Thr Thr Ser
                             150
     184 <210> SEQ ID NO: 3
     185 <211> LENGTH: 782
```

RAW SEQUENCE LISTING DATE: 09/19/2005 PATENT APPLICATION: US/10/659,869A TIME: 10:34:15

Input Set : A:\BB1294 USCNT Corrected Seq List.txt
Output Set: N:\CRF4\09192005\J659869A.raw

```
186 <212> TYPE: DNA
     187 <213> ORGANISM: Zea mays
    189 <220> FEATURE:
     190 <221> NAME/KEY: unsure
     191 <222> LOCATION: (3)
     192 <223> OTHER INFORMATION: n is a, c, g or t
     194 <400> SEQUENCE: 3
W--> 195 acngtctgct gcaggtacgg gccgtaatcc gggtcgacca cgcgtcccga caaagtggca 60
     196 tactettete tgtactaget ttettettee teteetette etcacaaaca gactggattt 120
     197 caacaagata atcctgaaac tggagccaac aagcacacag agaaagaaga gcaagaagac 180
     198 cggctcccag ccgatacaag gtaggagtga gcagcgttag tttcatcata tcgcataggc 240
     199 gatatggtga cagtgagaga ggagactcgc aaggggccat ggacagagca ggaggacctg 300
     200 caactggtat gcactgtccg tctgttcggt gaacgtcgtt gggatttcat tgccaaagta 360
     201 tcaggactca accggacagg caagagctgc cggctgcggt gggtcaacta cctccaccct 420
     202 ggcctcaagc gtgggcgcat gtctccccat gaagagcgcc tcatccttga gctgcacgct 480
     203 cggtggggaa acaggtggtc caggatagca cggcgcttgc cagggcgcac tgacaatgag 540
     204 atcaagaact actggaggac acacatgagg aagaaagcac aggagaggaa gaggaacatg 600
    205 tetecateat cateeteate tteactgagt taccagteag getacecaga tactecatea 660
     206 atcattggag ttaagggaca ggagcttcat ggtggcagtg gctgcatcac aagcatcctg 720
     207 aagggcaccc atccggacat ggatggctat cccatggacc agatatggat ggaattgaag 780
     208 gg
     210 <210> SEQ ID NO: 4
     211 <211> LENGTH: 179
     212 <212> TYPE: PRT
     213 <213> ORGANISM: Zea mays
     215 <400> SEQUENCE: 4
     216 Met Val Thr Val Arg Glu Glu Thr Arg Lys Gly Pro Trp Thr Glu Gln
                           5
     219 Glu Asp Leu Gln Leu Val Cys Thr Val Arg Leu Phe Gly Glu Arg Arg
    220
                      20
                                          25
    222 Trp Asp Phe Ile Ala Lys Val Ser Gly Leu Asn Arg Thr Gly Lys Ser
    223
    225 Cys Arg Leu Arg Trp Val Asn Tyr Leu His Pro Gly Leu Lys Arg Gly
    226
                                  55
    228 Arg Met Ser Pro His Glu Glu Arg Leu Ile Leu Glu Leu His Ala Arg
    231 Trp Gly Asn Arg Trp Ser Arg Ile Ala Arg Arg Leu Pro Gly Arg Thr
                          85
                                              90
    234 Asp Asn Glu Ile Lys Asn Tyr Trp Arg Thr His Met Arg Lys Lys Ala
    235
                     100
                                         105
    237 Gln Glu Arg Lys Arg Asn Met Ser Pro Ser Ser Ser Ser Ser Leu
                115
                                     120
    240 Ser Tyr Gln Ser Gly Tyr Pro Asp Thr Pro Ser Ile Ile Gly Val Lys
                                 135
    243 Gly Gln Glu Leu His Gly Gly Ser Gly Cys Ile Thr Ser Ile Leu Lys
                             150
                                                 155
     246 Gly Thr His Pro Asp Met Asp Gly Tyr Pro Met Asp Gln Ile Trp Met
    247
                         165
                                             170
    249 Glu Leu Lys
```

RAW SEQUENCE LISTING

DATE: 09/19/2005 PATENT APPLICATION: US/10/659,869A TIME: 10:34:15

Input Set : A:\BB1294 USCNT Corrected Seq List.txt

Output Set: N:\CRF4\09192005\J659869A.raw

252 <210> SEQ ID NO: 5 253 <211> LENGTH: 601 254 <212> TYPE: DNA 255 <213> ORGANISM: Zea mays 257 <220> FEATURE: 258 <221> NAME/KEY: unsure 259 <222> LOCATION: (451) 260 <223> OTHER INFORMATION: n is a, c, g or t 262 <220> FEATURE: 263 <221> NAME/KEY: unsure 264 <222> LOCATION: (456) 265 <223> OTHER INFORMATION: n is a, c, g or t 267 <220> FEATURE: 268 <221> NAME/KEY: unsure 269 <222> LOCATION: (478) 270 <223> OTHER INFORMATION: n is a, c, g or t 272 <220> FEATURE: 273 <221> NAME/KEY: unsure 274 <222> LOCATION: (480) 275 <223> OTHER INFORMATION: n is a, c, g or t 277 <220> FEATURE: 278 <221> NAME/KEY: unsure 279 <222> LOCATION: (490) 280 <223> OTHER INFORMATION: n is a, c, g or t 282 <220> FEATURE: 283 <221> NAME/KEY: unsure 284 <222> LOCATION: (510) 285 <223> OTHER INFORMATION: n is a, c, g or t 287 <220> FEATURE: 288 <221> NAME/KEY: unsure 289 <222> LOCATION: (542) 290 <223> OTHER INFORMATION: n is a, c, g or t 292 <220> FEATURE: 293 <221> NAME/KEY: unsure 294 <222> LOCATION: (549) 295 <223> OTHER INFORMATION: n is a, c, g or t 297 <220> FEATURE: 298 <221> NAME/KEY: unsure 299 <222> LOCATION: (552) 300 <223> OTHER INFORMATION: n is a, c, g or t 302 <220> FEATURE: 303 <221> NAME/KEY: unsure 304 <222> LOCATION: (554) 305 <223> OTHER INFORMATION: n is a, c, g or t 307 <220> FEATURE: 308 <221> NAME/KEY: unsure 309 <222> LOCATION: (572)

310 <223> OTHER INFORMATION: n is a, c, g or t

312 <220> FEATURE:

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 09/19/2005 PATENT APPLICATION: US/10/659,869A TIME: 10:34:16

Input Set : A:\BB1294 USCNT Corrected Seq List.txt

Output Set: N:\CRF4\09192005\J659869A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which bresents at least one n or X6a

to <223> fields of each sequence which presents at least one n or Xaa. Seq#:1; N Pos. 4,99 6,47ø,486,586,6d0,61k,615,627,632,658,690,716,724,736 Seq#:1; N Pos. 752/ Seq#:2; Xaa Pos. Seg#:3; N Pos. 3 Seq#:5; N Pos. 451,456,478,480,490,510,542,549,552,554,572,578,583,588.595 Seq#:5; N Pos. 601 Seq#:6; Xaa Pos. 101,113,114 Seq#:7; N Pos. 356,374,479,508,532 Seq#:8; Xaa Pos. 42,48 Seq#:15; N Pos. 308 Seq#:16; Xaa Pos. 59 Seq#:17; N Pos. 577,582,583,587 Seq#:21; N Pos. 355,498,534,543,582,597,606,619,634 Seq#:22; Xaa Pos. 53,100,112 Seq#:23; N Pos. 118,298,355,356,374,376,381,386,393,408,409,417,432,453,466 Seq#:23; N Pos. 469,476,477 Seq#:24; Xaa Pos. 13,73,92,93,99,101,103,105,110,113,118,125 Seq#:27; N Pos. 136,229,271,373,382,386,424,475,493,494,511,520,522,531,536 Seq#:27; N Pos. 552,553 Seq#:28; Xaa Pos. 19,20,51,65 Seq#:31; N Pos. 301,356,388,393,470,485,495,513,517,522 Seq#:33; N Pos. 798,807,814 Seq#:42; Xaa Pos. 138 Seq#:45; N Pos. 519,521,530,531,534,800,1124,1151 Seq#:46; Xaa Pos. 142,145,146,147,178 Seq#:51; N Pos. 358,429 Seq#:52; Xaa Pos. 59,72,83 Seq#:55; N Pos. 259,307,319 Seq#:56; Xaa Pos. 21,27,28,41 Seq#:59; N Pos. 108,355,361,392,414,431,434,447,456,459

Seq#:60; Xaa Pos. 27,109,111,122,129 Seq#:61; N Pos. 435,442,450,457

VERIFICATION SUMMARY

DATE: 09/19/2005 PATENT APPLICATION: US/10/659,869A TIME: 10:34:16

Input Set : A:\BB1294 USCNT Corrected Seq List.txt Output Set: N:\CRF4\09192005\J659869A.raw

```
L:124 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
M:341 Repeated in SeqNo=1
L:172 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:96
M:341 Repeated in SeqNo=2
L:195 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:345 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:420
M:341 Repeated in SeqNo=5
L:384 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:96
M:341 Repeated in SeqNo=6
L:426 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:300
M:341 Repeated in SeqNo=7
L:454 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:32
L:691 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:300
L:713 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:48
L:746 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:540
L:891 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:300
M:341 Repeated in SeqNo=21
L:928 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:48
M:341 Repeated in SeqNo=22
L:1025 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:60
M:341 Repeated in SeqNo=23
L:1095 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
M:341 Repeated in SeqNo=24
L:1302 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:120
M:341 Repeated in SeqNo=27
L:1335 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:16
M:341 Repeated in SeqNo=28
L:1480 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:300
M:341 Repeated in SeqNo=31
L:1564 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:780
L:1868 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:128
L:2013 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:45 after pos.:480
M:341 Repeated in SeqNo=45
L:2072 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:46 after pos.:128
M:341 Repeated in SeqNo=46
L:2294 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:300
M:341 Repeated in SeqNo=51
L:2329 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:48
M:341 Repeated in SeqNo=52
L:2465 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:55 after pos.:240
M:341 Repeated in SeqNo=55
L:2492 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:56 after pos.:16
M:341 Repeated in SeqNo=56
L:2628 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:59 after pos.:60
M:341 Repeated in SeqNo=59
L:2671 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:60 after pos.:16
M:341 Repeated in SeqNo=60
L:2728 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:61 after pos.:420
```